

## Chapter 08 (ACIDS, BASES & SALTS)

### SECTION – A

Time allowed: 20 minutes

Marks: 17

---

Note: Section-A is compulsory. All parts of this section are to be answered on the question paper itself. It should be completed in the first 20 minutes and handed over to the Centre Superintendent. Deleting/overwriting is not allowed. Do not use lead pencil.

---

**Q.1 Encircle the correct option i.e. A / B / C / D. All parts carry equal marks.**

**(i) Which of the following is conjugate base?**

- (a)  $\text{NH}_3$  (b)  $\text{H}_3\text{O}^+$  (c)  $\text{Cl}^-$  (d)  $\text{NH}_3$

**(ii) The  $\text{pK}_b$  value for aqueous ammonia at  $25^\circ\text{C}$  is 4.8. What is the  $\text{pK}_a$  value for the ammonium ion at this temperature:**

- (a) -4.8 (b) 2.2 (c) 4.8 (d) 9.2

**(iii) pH of  $1.0 \text{ mole dm}^{-3}$  of  $\text{H}_2\text{X}$  which is only 50% dissociate is:**

- (a) 0 (b) 1 (c) 2 (d) 3

**(iv) The aqueous solution of copper sulphate is acidic due to the hydrolysis of**

- (a)  $\text{SO}_4^{2-}$  (b)  $\text{Cu}^{2+}$  (c) Both A & B (d) None of these

**(v) The pH of  $10^{-3} \text{ mole dm}^{-3}$  of an aqueous solution of  $\text{H}_2\text{SO}_4$  :**

- (a) 3.0 (b) 2.7 (c) 2.0 (d) 1.5

**(vi) If  $\text{K}_a$  value is  $10^{-6}$  the  $\text{K}_b$  value is:**

- (a)  $10^{-4}$  (b)  $10^{-6}$  (c)  $10^{-8}$  (d)  $10^{-10}$

**(vii) If  $\text{Ca(OH)}_2$  is dissolved in solution of  $\text{NaOH}$ , its solubility, as compared to that in pure  $\text{H}_2\text{O}$**

- (a) Increases (b) Decreases  
(c) First decreases than increases (d) Remains unaffected

**(viii) The pOH of  $10^{-8}$  molar solution of  $\text{HCl}$  in water is:**

- (a) 8 (b) Between 7 & 8 (c) -8 (d) 6

**(ix) If an acid having  $K_a$  value less than  $10^{-3}$  it will be:**

- (a) strong acid    (b) weak acid    (c) moderately acidic    (d) Unpredictable

**(x) Which one of the following solution is buffer solution?**

- (a)  $\text{HCl} + \text{KCl}$  (b)  $\text{HClO}_4 + \text{NaClO}_4$   
(c)  $\text{H}_2\text{CO}_3 + \text{NaHCO}_3$  (d)  $\text{H}_2\text{SO}_4 + \text{NH}_4\text{Cl}$

**(xi) Which salt when added in water does not affect pH, then concentration of  $\text{H}_2\text{S}$ :**

- (a) increases (b) remains unchanged  
(c) decreases (d) None of these

**(xii) The  $H^+$  ion concentration of an aqueous solution having pH 10.6 is:**

- (a)  $2.51 \times 10^{-11}$  mole  $\text{dm}^{-3}$       (b)  $5.21 \times 10^{-11}$  mole  $\text{dm}^{-3}$   
(c)  $1.25 \times 10^{-11}$  mole  $\text{dm}^{-3}$       (d)  $3.21 \times 10^{-11}$  mole  $\text{dm}^{-3}$

**(xiii) Which one of the following is not a Lewis base?**

- (a)  $\text{NF}_3$                       (b)  $\text{BF}_3$                       (c)  $\text{NH}_3$                       (d)  $\text{H}_2\text{O}$

(xiv) The  $\text{pK}_b$  of compound X at  $25^\circ\text{C}$  is 8.25. then the  $\text{pK}_a$  value of its conjugate acid will be:

- (a) +6.75                      (b) -6.75                      (c) +5.75                      (d) -5.75

**(xv) pH of 0.062 M NaOH Solution is:**

- (a) 13.79      (b) 11.35      (c) 6.25      (d) 12.79

**(xvi) What will be the pH of a Buffer if Conc. Of acid & salt are equal?**

- (a) Positive (b) Negative (c) Equal to pKa (d) Zero

**(xvii) Which of the following compounds will produce acidic solution on Hydrolysis?**

- (a)  $\text{KNO}_3$       (b)  $\text{NaCl}$       (c)  $\text{NH}_4\text{NO}_3$       (d)  $\text{NaCN}$

Note: Answer any eleven parts from Section 'B' and Attempt any two questions from Section 'C' on the separately provided answer book. Use supplementary answer sheet i.e. Sheet-B if required. Write your answers neatly and legibly.

### SECTION – B (Marks 42)

**Q.2** Attempt any **Fourteen** parts from the following. All parts carry equal marks.

- (i) What is  $K_w$ ? What is the effect of temperature on the value of  $K_w$ ?
- (ii) How  $P_H$  and  $P_{OH}$  are related with each other?
- (iii) Calculate the  $P_H$  of  $10^{-4}$  mol/dm<sup>3</sup> of HCl.
- (iv) Prove that  $P_{K_a} + P_{K_b} = 14$  at 25°C
- (v) What is the concentration of hydroxide ion in a solution whose  $P_H$  is 10?
- (vi) What is hydrolysis? Write the equation of hydrolysis equilibrium for each of the followings:-  
(a)  $Li^+$  (b)  $NH_4^+$  (c)  $CN^-$
- (vii) Explain curdling of milk with Lemon juice
- (viii) What are  $K_b$  and  $P_{K_b}$  and their applications?
- (ix) Calculate the  $P_H$  of Formic acid sodium Formate buffer solution containing 1:0 mole

of each component. ( $K_a$  for formic acid is  $1.8 \times 10^{-4}$ )

(x) Explain gastric acidity and use of anti-acid drug.

(xi) Calculate concentrations of ions of slightly soluble salts using concepts of Solubility Product.

(xii) Define and briefly describe the levelling effect of water in acid-base reaction.

(xiii) How many types of salts are there on the basis of reactivity with water? Give an example of each.

(xiv) Calculate the PH of a buffer solution in which 0.11 Molar  $\text{CH}_3\text{COONa}$  and 0.09 Molar  $\text{CH}_3\text{COOH}$  Solution are present.  
( $K_a$  for  $\text{CH}_3\text{COOH}$  is  $1.8 \times 10^{-5}$ )

(xv) What is the relationship between  $K_a$  and  $K_b$ ? and also prove that  $K_a \times K_b = K_w$



(Xvi) The  $PK_a$  of acetic acid at  $25^\circ C$  at  $+4.76$ . Calculate the  $PK_b$  of the conjugate base of acetic acid.

(Xvii) The  $PH$  of a  $0.1M$  solution of an acid is  $2.85$ . Calculate the ionization constant,  $K_a$  of the acid.

(Xviii) Calculate the  $POT$  of  $0.001M$   $HCl$  solution:

(Xix) Prove <sup>that</sup>  $CH_3COOH$  acts as a Bronsted acid as well as a base.

(xx) Define the following:-

- (a) Acid dissociation constant ( $K_a$ )
- (b) Base dissociation constant ( $K_b$ ).

(xxi) what is the  $PH$  of a solution containing  $1.95g$  pure  $H_2SO_4$  per  $dm^3$  of solution?

(xxii) Calculate the  $PH$  of  $0.062M$   $NaOH$  solution.

(xxiii) Calculate the  $PH$  of  $0.001M$  aqueous Hydrochloric acid solution.

(xxiv) The concentration of  $[OH^-]$  ions in a household ammonia solution is  $0.005M$ . Calculate the concentration of  $[H^+]$  in it.

## SECTION – C (Marks 26)

Attempt any **Two** Questions from the following.

(1) (a) Q:- What are Buffer solutions? Elaborate with suitable examples, their significance in acid-base reaction. Write three common applications of buffer solutions.

(b) Calculate the concentration of ions of slightly soluble salts using concept of solubility product.

(2) (a) Q:- Define and explain Lewis acid and Bases also give one example in each case.

(b) What are conjugate acid-base pairs? Give examples.

(3) (a) Q:- How many types of salts are there? Give an example of each.

(b) Define pH. What are the values of pH for acidic, basic and neutral solutions.

(c) Justify that  $\text{CaO}$  is a basic oxide while  $\text{Al}_2\text{O}_3$  is amphoteric oxide.

**Don't forget to Like, Share & Follow**  
**@Sochbadlobymak**

**At least 300 Shares Please.....**